

Coaxial Needle

Safe & effective needle placement for hard-to-reach targets¹⁾



Indication for use:

As a guiding needle in obtaining core biopsy samples from soft tissue such as liver, kidney, spleen, lymph nodes and various soft tissue lesions.



SPRING LOADED BLUNT STYLET

- Enables penetration without removal of the blunt needle
- Provides visual and tactile feedback

FEATURE -

• Distal hole provides the option to inject fluid while having a blunt tip stylet in place.

BLUNT TIP -


 Coaxial blunt tip stylet helps reduce the risk of damage to vasculature or other organs.

COAXIAL BIOPSY NEEDLE -

- Provides the ability to cut through tissue
- Centimeter markings on needle for easy depth evaluation
- Echogenic marking on cannula allow for precise ultrasound placement.

Device description

Gangi-HydroGuard^{*} combines the well-known technique of a coaxial biopsy needle with an all new spring loaded blunt tip stylet providing more control during soft tissue biopsy.



TECHNICAL SPECIFICATIONS

Package contents:

- Hollow blunt springloaded stylet
- Trocar stylet
- Needle
- Reference guide

Gangi-HydroGuard[®], 15G

Needle inner diameter: 1.73 mm Total needle lengths: 12.1 cm, 17.1 cm Free needle length: 9.6 cm, 14.6 cm Suitable biopsy device size: 16G

Gangi-HydroGuard[®], 17G

Needle inner diameter: 1.33 mm Total needle lengths: 12.1 cm, 17.1 cm Free needle length: 9.6 cm, 14.6 cm Suitable biopsy device size: 18G



17**G**

ORDERING INFORMATION

			Minimum Order Quantity
	HG15-121	Gangi-HydroGuard [*] 15G 12.1 cm	5 units
	HG15-171	Gangi-HydroGuard [*] 15G 17.1 cm	5 units
	HG17-121	Gangi-HydroGuard [®] 17G 12.1 cm	5 units
	HG17-171	Gangi-HydroGuard [®] 17G 17.1 cm	5 units

Indication for use: As a guiding needle in obtaining core biopsy samples from soft tissue such as liver, kidney, spleen, lymph nodes and various soft tissue lesions. Before using Gangi-HydroGuard[®] read the instructions for use which accompany the product for indications, contraindications, warnings and precautions. Gangi-HydroGuard[®] is a registered trademark of AprioMed AB. Patents pending.

References:

 Roberto Luigi Cazzato, Julien Garnon, Behnam Shaygi, Jean Caudrelier, Salem Bauones, Georgia Tsoumakidou, Guillaume Koch and Afshin Gangi (2017). Performance of a New Blunt-Tip Coaxial Needle for Percutaneous Biopsy and Drainage of "Hard-To-Reach" Targets. Cardiovasc Intervent Radiol 2017

HEAD OFFICE

AprioMed AB Virdings Allé 28 SE-754 50 Uppsala, Sweden Phone: +46 18 430 14 40 Free Fax (Int'l): +46 770 339972

US SALES OFFICE

AprioMed, Inc. 45 South Main St Unit 2 Derry, NH 03038, USA Phone: +1 603 421 0875 Fax (US toll free): 866 239 1797



info@apriomed.com / www.apriomed.com

APRIOMED develops, manufactures, markets and sells innovative medical devices and related services within the field of interventional radiology. We aim to deliver, in close collaboration with healthcare practitioners, innovative quality tools to achieve the most favourable solutions for radiologists worldwide. AprioMed is headquartered in Uppsala, Sweden, with a sales subsidiary in Londonderry, NH, USA. Our products are sold in more than 40 countries by AprioMed (direct sales in US, UK, Ireland and Sweden) and our local distributors.